ELSEVIER

Journal of Alloys and Compounds 274 (1998) 311

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 274

Abd-Shukor, R., 55
Affronte, M., 68
Alves, K.M.B., 23
Auchet, J., 148

Baggio-Saitovitch, E., 23
Bezdička, P., 10, 248
Bill, H., 164
Binnemans, K., 157
Bodak, O.I., L1, 182
Boschung, E., 294
Bourée-Vigneron, F., 59
Buschow, K.H.J., 83, 274
Bussy, F., 201

Chang, Y.A., 209
Chaogui, Z., 142
Chartouni, D., 294
Cheong, D.-S., 229
Chernyshov, V.V., 182
Cho, W.-S., 229
Ciureanu, M., 266
Clarke, S.J., 118
Couwenberg, I., 157

De Boer, F.R., 274
De Leebeeck, H., 157
Didoukh, V., 206
DiSalvo, F.J., 118
Domagała, J., 128

Escorne, M., 29

Figiel, H., 29
Fjellvåg, H., 217
Franzen, H.F., 179

Gachon, J.C., 201
Gan, L.M., 110
Geyer, R.G., 169
Gicala, B., 47
Gillot, B., 90
Görller-Walrand, C., 157
Gołacki, Z., 128
Gratz, E., 29
Gribanov, A.V., 182
Gross, K.J., 234, 239

Hagemann, H., 164
Hajjaji, M., 185, 189
Hauback, B.C., 217
Horikubi, T., 122
Huang, W., 209
Hu, Z., 38

Jung, C.B., 254
Jurczyk, M., 299

Kaindl, G., 38
Kamegashira, N., 122
Kang, J.-G., 1
Kim, C.-S., 229
Kim, J.-G., 1
Kjekshus, A., 136
Kláriková, A., 10, 248
Kleppa, O.J., 193
Klewe, B., 136
Kou, X.C., 274
Kozhevnikov, V.L., 103
Kozhevnikov, V.L., 98
Kubis, M., 284
Kurosaki, K., 222

Laborde, O., 68
Lakhtin, A.A., 98, 103
Larica, C., 23
Latroche, M., 29, 59
Lee, K.S., 254
Leonidov, I.A., 98, 103
Li, C.-J., 278
Lieb, K.P., 74
Lim, D.-S., 229
Lindbaum, A., 29
Lovy, D., 164
Lück, R., 148

Majchrzycki, W., 299
Marlianto, E., 55
Mattern, N., 284
Meschel, S.V., 193
Meyer, G., 38
Mietniowski, P., 29
Mitberg, E.B., 98, 103
Morozkin, A.V., L1
Müller, K.-H., 284

Natarajan, S., 18
Neubauer, M., 74
Neumann, A., 136
Ng, S.C., 110
Nunes, E., 23

Offernes, L., 136
Oh, Y.-S., 229
Olcese, G.L., 68
Orlando, M.T.D., 23

Palenzona, A., 68
Paseka, I., 10, 248
Passamani, E.C., 23
Paszkowicz, W., 128
Patrakeev, M.V., 98, 103
Paul-Boncour, V., 29, 59
Percheron-Guégan, A., 29, 59
Perring, L., 201
Plevachuk, Yu., 206
Poeppelmeier, K.R., 98, 103
Przewoznik, J., 29
Pszczoła, J., 47

Qingfan, L., 142

Radid, M., 90
Rajagopalan, M., 18
Rajewski, W., 299
Ramirez, A.P., 169
Rey, J.M., 164
Riabov, A.B., 217
Rissanen, L., 74
Rodríguez-Carvajal, J., 83
Roth, R.S., 169
Ryan, D.H., 266
Rybakov, V.B., 182

Salleh, M.M., 55
Sbai, K., 90
Schaaf, P., 74
Schlapbach, L., 234, 239, 294
Schobinger-Papamantellos, P., 83
Seropegin, Yu.D., L1, 182
Shixiang, L., 142
Shujian, T., 142
Siegrist, T., 169
Sohn, Y., 1
Sokolovskii, B., 206
Souha, H., 90
Sreedharan, O.M., 153
Strom-Olsen, J.O., 266
Subasri, R., 153
Suski, W., 65
Suwalski, J., 47
Sviridov, I.A., L1

Teresiak, A., 284
Terzieff, P., 148
Tiwari, A., 42
Trinadh, Ch.U.M., 18

Uno, M., 222

Vanderahb, T.A., 169

Wang, X.-L., 278
Wang, J., 110
Wan, D.M., 110
Watanabe, H., 122
Welham, N.J., 260, 303
Wochowski, K., 65
Wójcik, G., 299
Wolf, M., 284

Yahya, M., 55
Yang, Q.M., 266
Yartys, V.A., 217
Yoon, S.-K., 1

Závěta, K., 10, 248
Zeng, L., 179
Zhang, Z.D., 274
Züttel, A., 234, 239, 294

Elsevier Science S.A.
PII: S0925-8388(98)00645-8

ELSEVIER

Journal of Alloys and Compounds 274 (1998) 313–317

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 274

AB_2 alloy
hydriding properties of the $Zr(Cr_{0.5}Ni_{0.5})_\alpha$ ($1.75 \leq \alpha \leq 3.5$) alloy system 294
AlLiSi(AgAsMg)-type structure
the crystal structure of AuMnSn 136
Alloy preparation
on the possibility of metal hydride formation 234
Amorphous YFe_2
magnetic properties of amorphous YFe_2 obtained by milling 23
Anisotropy constants
the spin reorientation in $Nd_2Fe_{14}B$ in the presence of inter-grain exchange coupling 274
Annealing temperature
the influence of the annealing temperature on the elctrochemical properties and the structure of the melt-spun $ML(NiMnTiCo)_5$ hydrogen-storage alloy 278
Autocatalytic process
the influence of various factors in the reduction of cuprous chloride by titanium: a kinetics study 90

$Ba_5Fe_4Ti_{10}O_{31}$
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169
Ball milling
on the possibility of metal hydride formation 234
structure and magnetic properties of ball-milled iron nitride powders 248
the effect of heat treatment on the electrode characteristics of the ball-milled Zr–Cr–Ni 254
$Ba_2Mg_3F_{10}$
EPR and optical investigation of europium doped $Ba_2Mg_3F_{10}$ 164
3d-Band structure
^{57}Fe Slater–Pauling dependence in the $Dy(Fe_{1-x}Al_x)_2$ intermetallic system 47
Barium iron titanium oxide
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169

CaF_2
thermodynamic stabilities of Ln_2BaO_4 (Ln=Nd, Sm, Eu or Gd) by CaF_2-based Emf measurements 153
Calorimetry
standard enthalpies of formation of some 4d transition metal silicides by high temperature direct synthesis calorimetry 193
Ceramic powders
formation and characterization of lead magnesium niobate synthesized from the molten salt of potassium chlorate 110
Cerium palladium germanide
crystal structure of the compound $CePd_5Ge_3$ 182
Chemical analysis
the influence of various factors in the reduction of cuprous chloride by titanium: a kinetics study 90
Chemical shift
chemical shifts in the X-ray absorption near-edge structure spectra of UBr_n (n=3, 4, 5) and Cs_2LiUX_6 (X=F, Cl, Br, I) 38
Composite hydride electrode
composite hydride electrode materials 266

Conductivity
the relation between high-temperature thermopower, conductivity and oxygen content in $YBa_2Cu_3O_{6+x}$ 103
CoS
X-ray characterisation of $Zn_{1-x}Co_xS$ single crystals grown by chemical vapour transport 128
Critical point
the miscibility gap region and liquid–liquid equilibrium in immiscible In–Tl–Te alloys 206
Cr–Ni–Re system
thermodynamic analysis of the Cr–Re system and prediction of the Cr–Ni–Re system 209
Cr–Re system
thermodynamic analysis of the Cr–Re system and prediction of the Cr–Ni–Re system 209
Crystal field
spectroscopic properties of the trivalent terbium ion in the huntite matrix $TbAl_3(BO_3)_4$ 157
Crystal structure
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169
crystal structure of $Nd_4Fe_{1.3}Ge_{7.5}$ 179
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. I. Crystal structure of Zr_2FeD_5 217
Cu_3Au type structure
formation of the Cu_3Au type solid solution of UPd_3 by doping a small amount of URu_3 222
Cuprate
high-temperature thermodynamics of oxygen equilibrium of solid solutions $YBa_2Cu_{3-x}Zn_xO_{6+\delta}$ with gas phase 98
the relation between high-temperature thermopower, conductivity and oxygen content in $YBa_2Cu_3O_{6+x}$ 103
Cycling
composite hydride electrode materials 266

Deuteride
temperature dependence study of $YMn_2D_{4.5}$ by means of neutron powder diffraction 59
Dielectric constant
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169
Dielectric loss tangent
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169
Dielectric properties
formation and characterization of lead magnesium niobate synthesized from the molten salt of potassium chlorate 110
Dilute chromium alloys
electronic properties of dilute Cr in liquid silver 148
Discharge capacity
composite hydride electrode materials 266
D_2 site-symmetry
luminescence and crystal field parameters of the $Na_3[Eu(DPA)_3]\cdot 12H_2O$ complex in a single crystalline state 1
DTA
phase diagram of the ternary system $CeCl_3$–KCl–LiCl 142

Elsevier Science S.A.
PII: S0925-8388(98)00646-X

Electrical properties
physical properties of $UMn_{4-x}Fe_xAl_8$ alloys for low Fe concentration 65
Electrical resistivity
electronic properties of dilute Cr in liquid silver 148
Electrical transport
the miscibility gap region and liquid–liquid equilibrium in immiscible In–Tl–Te alloys 206
Electrochemical characteristics
the effect of heat treatment on the electrode characteristics of the ball-milled Zr–Cr–Ni 254
Electrochemical properties
the influence of the annealing temperature on the elctrochemical properties and the structure of the melt-spun $ML(NiMnTiCo)_5$ hydrogen-storage alloy 278
synthesis and electrochemical properties of high-energy ball-milled Laves phase $(Zr,Ti)(V,Mn,Cr)_2$ alloys with nickel powder 299
Electrode
hydriding properties of the $Zr(Cr_{0.5}Ni_{0.5})_\alpha$ $(1.75 \leq \alpha \leq 3.5)$ alloy system 294
Electronic structure
a computational study of structural transitions in NpAs and NpTe induced by pressure 18
Emf
thermodynamic stabilities of Ln_2BaO_4 (Ln=Nd, Sm, Eu or Gd) by CaF_2-based Emf measurements 153
Enthalpies of formation
standard enthalpies of formation of some 4d transition metal silicides by high temperature direct synthesis calorimetry 193
EPR
EPR and optical investigation of europium doped $Ba_2Mg_3F_{10}$ 164
$EuBa_2Cu_3O_{7-\delta}$
oxygen related ultrasonic attenuation and elastic anomalies in $EuBa_2Cu_3O_{7-\delta}$ (δ~0.02 and 0.45) 55

Fe-Mössbauer spectroscopy
magnetic properties of α'-FeN_x and α''-$Fe_{16}N_2$ nitrides 10
local environment of Fe in $NdFe_{1-x}Ni_xO_{3-\delta}$ perovskite oxides 42
^{57}Fe Slater–Pauling dependence in the $Dy(Fe_{1-x}Al_x)_2$ intermetallic system 47

Germanium
crystal structure of $Nd_4Fe_{1.3}Ge_{7.5}$ 179
Gibbs' Energy
thermodynamic stabilities of Ln_2BaO_4 (Ln=Nd, Sm, Eu or Gd) by CaF_2-based Emf measurements 153

Hafnium–nickel alloys
microstructure of aged binary nickel–hafnium alloy 189
Heat treatment
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Heusler-alloy-related phase
the crystal structure of AuMnSn 136
High-energy ball-milling
synthesis and electrochemical properties of high-energy ball-milled Laves phase $(Zr,Ti)(V,Mn,Cr)_2$ alloys with nickel powder 299
High temperature
high-temperature thermodynamics of oxygen equilibrium of solid solutions $YBa_2Cu_{3-x}Zn_xO_{6+\delta}$ with gas phase 98
the relation between high-temperature thermopower, conductivity and oxygen content in $YBa_2Cu_3O_{6+x}$ 103
Hydride
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. I. Crystal structure of Zr_2FeD_5 217
Hydrides
hydrogen induced phase transitions in YMn_2 29
Hydrogen absorption
on the possibility of metal hydride formation 234
on the possibility of metal hydride formation 239
Hydrogen storage alloy
the influence of the annealing temperature on the elctrochemical properties and the structure of the melt-spun $ML(NiMnTiCo)_5$ hydrogen-storage alloy 278
Hyperfine interaction
^{57}Fe Slater–Pauling dependence in the $Dy(Fe_{1-x}Al_x)_2$ intermetallic system 47

Ilmenite
mechanically induced reduction of ilmenite ($FeTiO_3$) and rutile (TiO_2) by magnesium 260
Ilmenite reduction
mechanochemical reduction of $FeTiO_3$ by Si 303
In situ fabrication
in situ fabrication of Si_3N_4/SiC nanocomposite using a commercial polymer 229
Interatomic distance(s)
a computational study of structural transitions in NpAs and NpTe induced by pressure 18
X-ray characterisation of $Zn_{1-x}Co_xS$ single crystals grown by chemical vapour transport 128
Inter-grain exchange coupling
the spin reorientation in $Nd_2Fe_{14}B$ in the presence of inter-grain exchange coupling 274
Intermetallic compounds
hydrogen induced phase transitions in YMn_2 29
Interpenetrating lattices
synthesis and structure of β-$Ca_3Ga_2N_4$, a ternary nitride with two interpenetrating three dimensional nets 118
Iron
crystal structure of $Nd_4Fe_{1.3}Ge_{7.5}$ 179
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. I. Crystal structure of Zr_2FeD_5 217
mechanochemical reduction of $FeTiO_3$ by Si 303
Iron nitride(s)
magnetic properties of α'-FeN_x and α''-$Fe_{16}N_2$ nitrides 10
the new cubic iron-nitride phase FeN prepared by reactive magnetron sputtering 74
structure and magnetic properties of ball-milled iron nitride powders 248
Isomer shift
local environment of Fe in $NdFe_{1-x}Ni_xO_{3-\delta}$ perovskite oxides 42
Isothermal section
isothermal sections of the Ru–Si–Ge, Ru–Ge–Sn and Ru–Si–Sn systems at 900°C 201

$LaNi_5$
on the possibility of metal hydride formation 239
Lattice parameter
X-ray characterisation of $Zn_{1-x}Co_xS$ single crystals grown by chemical vapour transport 128
Laves phase(s)
hydriding properties of the $Zr(Cr_{0.5}Ni_{0.5})_\alpha$ $(1.75 \leq \alpha \leq 3.5)$ alloy system 294
hydrogen induced phase transitions in YMn_2 29
Liquid silver alloys
electronic properties of dilute Cr in liquid silver 148
Liquidus projection
phase diagram of the ternary system $CeCl_3$–KCl–LiCl 142
Ln_2BaO_4
thermodynamic stabilities of Ln_2BaO_4 (Ln=Nd, Sm, Eu or Gd) by CaF_2-based Emf measurements 153
Luminescence
luminescence and crystal field parameters of the $Na_3[Eu(DPA)_3]\cdot 12H_2O$ complex in a single crystalline state 1

spectroscopic properties of the trivalent terbium ion in the huntite matrix $TbAl_3(BO_3)_4$ 157
EPR and optical investigation of europium doped $Ba_2Mg_3F_{10}$ 164

Magnesium
mechanically induced reduction of ilmenite ($FeTiO_3$) and rutile (TiO_2) by magnesium 260
Magnetic ordering
hydrogen induced phase transitions in YMn_2 29
Magnetic properties
magnetic properties of α'-FeN_x and α''-$Fe_{16}N_2$ nitrides 10
magnetic properties of amorphous YFe_2 obtained by milling 23
physical properties of $UMn_{4-x}Fe_xAl_8$ alloys for low Fe concentration 65
Magnetic structure
magnetic order in the $TbCo_6Ge_6$ and $TbCo_2Ge_2$ compounds: A neutron study 83
Magnetic susceptibility
electronic properties of dilute Cr in liquid silver 148
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169
Mechanically alloying
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Melt-spun
the influence of the annealing temperature on the elctrochemical properties and the structure of the melt-spun $ML(NiMnTiCo)_5$ hydrogen-storage alloy 278
Metal hydrides
on the possibility of metal hydride formation 234
on the possibility of metal hydride formation 239
$MgNi_3B_2$
on the possibility of metal hydride formation 239
Microhardness
microstructure of aged binary nickel–hafnium alloy 189
Milling
mechanochemical reduction of $FeTiO_3$ by Si 303
Miscibility gap
the miscibility gap region and liquid–liquid equilibrium in immiscible In–Tl–Te alloys 206
Molten salt synthesis
formation and characterization of lead magnesium niobate synthesized from the molten salt of potassium chlorate 110

$Na_3[Eu(DPA)_3]\cdot 12H_2O$
luminescence and crystal field parameters of the $Na_3[Eu(DPA)_3]\cdot 12H_2O$ complex in a single crystalline state 1
Nanocomposite
in situ fabrication of Si_3N_4/SiC nanocomposite using a commercial polymer 229
Nanocrystal
the effect of heat treatment on the electrode characteristics of the ball-milled Zr–Cr–Ni 254
Nanocrystalline magnetic materials
the spin reorientation in $Nd_2Fe_{14}B$ in the presence of inter-grain exchange coupling 274
$NdFeO_3$
local environment of Fe in $NdFe_{1-x}Ni_xO_{3-\delta}$ perovskite oxides 42
$NdNiO_3$
local environment of Fe in $NdFe_{1-x}Ni_xO_{3-\delta}$ perovskite oxides 42
Neodymium
crystal structure of $Nd_4Fe_{1.3}Ge_{7.5}$ 179
Neptunium compounds
a computational study of structural transitions in NpAs and NpTe induced by pressure 18
Neutron diffraction
temperature dependence study of $YMn_2D_{4.5}$ by means of neutron powder diffraction 59
magnetic order in the $TbCo_6Ge_6$ and $TbCo_2Ge_2$ compounds: A neutron study 83
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. I. Crystal structure of Zr_2FeD_5 217
Nickel–metal hydride battery
hydriding properties of the $Zr(Cr_{0.5}Ni_{0.5})_\alpha$ ($1.75 \leq \alpha \leq 3.5$) alloy system 294
Ni(Hf) solid solution
solid solubility of hafnium in nickel 185
Ni-Hf system
solid solubility of hafnium in nickel 185
Nucleation-growth
the influence of various factors in the reduction of cuprous chloride by titanium: a kinetics study 90

Oxygen
high-temperature thermodynamics of oxygen equilibrium of solid solutions $YBa_2Cu_{3-x}Zn_xO_{6+\delta}$ with gas phase 98

Perovskite
formation and characterization of lead magnesium niobate synthesized from the molten salt of potassium chlorate 110
Perovskite type compounds
structure of perovskite type compounds, $ALaMnTaO_6$ (A=Sr, Ba) 122
Phase diagram(s)
hydrogen induced phase transitions in YMn_2 29
phase diagram of the ternary system $CeCl_3$–KCl–LiCl 142
solid solubility of hafnium in nickel 185
isothermal sections of the Ru–Si–Ge, Ru–Ge–Sn and Ru–Si–Sn systems at 900°C 201
the miscibility gap region and liquid–liquid equilibrium in immiscible In–Tl–Te alloys 206
thermodynamic analysis of the Cr–Re system and prediction of the Cr–Ni–Re system 209
Phase identification
the new cubic iron-nitride phase FeN prepared by reactive magnetron sputtering 74
Platinum-family metals
formation of the Cu_3Au type solid solution of UPd_3 by doping a small amount of URu_3 222
PMN
formation and characterization of lead magnesium niobate synthesized from the molten salt of potassium chlorate 110
Polymer
in situ fabrication of Si_3N_4/SiC nanocomposite using a commercial polymer 229
Precipitation hardening
microstructure of aged binary nickel–hafnium alloy 189
Pressure induced transition
a computational study of structural transitions in NpAs and NpTe induced by pressure 18

Quadrupole splitting
local environment of Fe in $NdFe_{1-x}Ni_xO_{3-\delta}$ perovskite oxides 42
Quaternary uranium hologenides
chemical shifts in the X-ray absorption near-edge structure spectra of UBr_n (n=3, 4, 5) and Cs_2LiUX_6 (X=F, Cl, Br, I) 38

Rare earth cobalt germanide
magnetic order in the $TbCo_6Ge_6$ and $TbCo_2Ge_2$ compounds: A neutron study 83
Rare earth intermetallics
crystallographic data for new ternary UCo_5Si_3-type RRh_5Si_3 (R= Sm, Gd–Tm) compounds L1
^{57}Fe Slater–Pauling dependence in the $Dy(Fe_{1-x}Al_x)_2$ intermetallic system 47
Rare earth rhodium silicides
crystallographic data for new ternary UCo_5Si_3-type RRh_5Si_3 (R= Sm, Gd–Tm) compounds L1

Reactive magnetron sputtering
the new cubic iron-nitride phase FeN prepared by reactive magnetron sputtering 74
Reduction
mechanically induced reduction of ilmenite ($FeTiO_3$) and rutile (TiO_2) by magnesium 260
Ru–Ge–Sn alloys
isothermal sections of the Ru–Si–Ge, Ru–Ge–Sn and Ru–Si–Sn systems at 900°C 201
Ru–Si–Ge alloys
isothermal sections of the Ru–Si–Ge, Ru–Ge–Sn and Ru–Si–Sn systems at 900°C 201
Ru–Si–Sn allys
isothermal sections of the Ru–Si–Ge, Ru–Ge–Sn and Ru–Si–Sn systems at 900°C 201
Rutile
mechanically induced reduction of ilmenite ($FeTiO_3$) and rutile (TiO_2) by magnesium 260

Saturation field at 5 K:0.8 T
the crystal structure of AuMnSn 136
II–VI semiconductors
X-ray characterisation of $Zn_{1-x}Co_xS$ single crystals grown by chemical vapour transport 128
Shear sound velocity
oxygen related ultrasonic attenuation and elastic anomalies in $EuBa_2Cu_3O_{7-\delta}$ (δ~0.02 and 0.45) 55
Sigma phase
thermodynamic analysis of the Cr–Re system and prediction of the Cr–Ni–Re system 209
Silicides
low temperature properties of calcium mono- and disilicides 68
Simulation
luminescence and crystal field parameters of the $Na_3[Eu(DPA)_3]\cdot 12H_2O$ complex in a single crystalline state 1
Single crystal
crystal structure of $Nd_4Fe_{1.3}Ge_{7.5}$ 179
crystal structure of the compound $CePd_5Ge_3$ 182
Si_3N_4/SiC
in situ fabrication of Si_3N_4/SiC nanocomposite using a commercial polymer 229
Slater–Pauling dependence
^{57}Fe Slater–Pauling dependence in the $Dy(Fe_{1-x}Al_x)_2$ intermetallic system 47
Sm–Fe compounds
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Sodium flux
synthesis and structure of β-$Ca_3Ga_2N_4$, a ternary nitride with two interpenetrating three dimensional nets 118
Soft ferromagnetic material
the crystal structure of AuMnSn 136
Solid solubility
solid solubility of hafnium in nickel 185
Solid solution
formation of the Cu_3Au type solid solution of UPd_3 by doping a small amount of URu_3 222
Solvus curve
solid solubility of hafnium in nickel 185
Specific heat
low temperature properties of calcium mono- and disilicides 68
Spin reorientation
the spin reorientation in $Nd_2Fe_{14}B$ in the presence of inter-grain exchange coupling 274
Stability
thermodynamic stabilities of Ln_2BaO_4 (Ln=Nd, Sm, Eu or Gd) by CaF_2-based Emf measurements 153
Structure
the influence of the annealing temperature on the elctrochemical properties and the structure of the melt-spun $ML(NiMnTiCo)_5$ hydrogen-storage alloy 278
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Structure determination
crystallographic data for new ternary UCo_5Si_3-type RRh_5Si_3 (R= Sm, Gd–Tm) compounds L1
crystal structure of the compound $CePd_5Ge_3$ 182
Superconductor
oxygen related ultrasonic attenuation and elastic anomalies in $EuBa_2Cu_3O_{7-\delta}$ (δ~0.02 and 0.45) 55
Synthesis
magnetic properties of α′-FeN_x and α″-$Fe_{16}N_2$ nitrides 10

$TbAl_3(BO_3)_4$
spectroscopic properties of the trivalent terbium ion in the huntite matrix $TbAl_3(BO_3)_4$ 157
$TbCu_7$
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Ternary alloys
the miscibility gap region and liquid–liquid equilibrium in immiscible In–Tl–Te alloys 206
Ternary nitride
synthesis and structure of β-$Ca_3Ga_2N_4$, a ternary nitride with two interpenetrating three dimensional nets 118
Ternary system $CeCl_3$–KCl–LiCl
phase diagram of the ternary system $CeCl_3$–KCl–LiCl 142
Thermodynamic modeling
thermodynamic analysis of the Cr–Re system and prediction of the Cr–Ni–Re system 209
Thermodynamics
high-temperature thermodynamics of oxygen equilibrium of solid solutions $YBa_2Cu_{3-x}Zn_xO_{6+\delta}$ with gas phase 98
standard enthalpies of formation of some 4d transition metal silicides by high temperature direct synthesis calorimetry 193
Thermogravimetry
the influence of various factors in the reduction of cuprous chloride by titanium: a kinetics study 90
Thermopower
the relation between high-temperature thermopower, conductivity and oxygen content in $YBa_2Cu_3O_{6+x}$ 103
Thin films
the new cubic iron-nitride phase FeN prepared by reactive magnetron sputtering 74
Th_2Zn_{17}
formation of modified $TbCu_7$ and Th_2Zn_{17} type structures during annealing of mechanical-alloyed Sm–Fe powders 284
Ti/CuCl system
the influence of various factors in the reduction of cuprous chloride by titanium: a kinetics study 90
Titanium oxide
mechanochemical reduction of $FeTiO_3$ by Si 303
Transition metal silicides
standard enthalpies of formation of some 4d transition metal silicides by high temperature direct synthesis calorimetry 193
Transport properties
low temperature properties of calcium mono- and disilicides 68

Ultrasonic attenuation
oxygen related ultrasonic attenuation and elastic anomalies in $EuBa_2Cu_3O_{7-\delta}$ (δ~0.02 and 0.45) 55
UPd_3
formation of the Cu_3Au type solid solution of UPd_3 by doping a small amount of URu_3 222

Uranium
formation of the Cu_3Au type solid solution of UPd_3 by doping a small amount of URu_3 222
Uranium bromide
chemical shifts in the X-ray absorption near-edge structure spectra of UBr_n (n=3, 4, 5) and Cs_2LiUX_6 (X=F, Cl, Br, I) 38
Uranium intermetallics
physical properties of $UMn_{4-x}Fe_xAl_8$ alloys for low Fe concentration 65

Virtually 1:1:1 stoichiometry
the crystal structure of AuMnSn 136

Westlake Criterion
on the possibility of metal hydride formation 239

XANES
chemical shifts in the X-ray absorption near-edge structure spectra of UBr_n (n=3, 4, 5) and Cs_2LiUX_6 (X=F, Cl, Br, I) 38

X-Ray diffraction
crystal structure and properties of $Ba_5Fe_4Ti_{10}O_{31}$ 169

Zirconium
neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice. I. Crystal structure of Zr_2FeD_5 217
(Zn,Co)S
X-ray characterisation of $Zn_{1-x}Co_xS$ single crystals grown by chemical vapour transport 128
Zr-based Laves phase
the effect of heat treatment on the electrode characteristics of the ball-milled Zr–Cr–Ni 254
synthesis and electrochemical properties of high-energy ball-milled Laves phase $(Zr,Ti)(V,Mn,Cr)_2$ alloys with nickel powder 299